

AIR SAMPLE REQUEST FORM

Client: SAC02 FACS Sacramento Sonoma State University	Sampled by: Esteeve Thurairajah	PM: David Justin Brinkerhoff	Date: 3/27/2018
Contact: David Justin Brinkerhoff Phone: (916) 726-1303	Special Instructions: E-mail results to: dbrinkerhoff@forensicanalytical.com, ethurairajah@forensicanalytical.com, sac@forensicanalytical.com		
Site: Sonoma State University - 1801 E. Cotati Avenue, Rohnert Park, CA	Turnaround Time:	<input type="checkbox"/> < 12hr <input type="checkbox"/> Same-D <input type="checkbox"/> 1-Day <input type="checkbox"/> 2-Day <input type="checkbox"/> 3-Day <input checked="" type="checkbox"/> 5-Day <input type="checkbox"/> Other	Due Date and Time:
Client No.: C17451	FACS Job #: PJ29642	Analysis:	<input type="checkbox"/> PCM / TEM: <input checked="" type="checkbox"/> AHERA / <input type="checkbox"/> Yamate II / <input type="checkbox"/> NIOSH 7402 / <input type="checkbox"/> CARB-AHERA <input type="checkbox"/> Metals: Pb <input type="checkbox"/> Other: Hold Blanks
Calibration: <input checked="" type="checkbox"/> Rotometer / <input type="checkbox"/> Bubble Burette / <input type="checkbox"/> Dry Cell No:	Code F:	Analyzed by:	Date: Scope No.:

Sample No.	Sample Location	Type	Pump ID	LPM			Time On	Time Off	Total Volume	Fiber / Field	Fiber / CC
				Start	End	Average					
CR242221	Blank										
CR238425	Blank										
CR242242	PE BUILDING, SOUTH FIELD HOUSE, 127 KITCHEN	<input checked="" type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C		9.5	9.5	9.5	09:03	12:53	2,185		
CR242222	↓ ROOM 142	<input checked="" type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C		9.0	9.0	9.0	09:12	12:58	2,084		
CR242194	↓ OFFICE 20	<input checked="" type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C		9.0	9.0	9.0	09:12	18:02	2,070		
CR242228	↓ DEPT. OFFICE, 14B	<input checked="" type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C		9.5	9.5	9.5	09:26	18:06	2,090		
CR242192	↓ OFFICE 34B	<input checked="" type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C		9.5	9.5	9.5	09:34	13:10	2,052		
CR242191	↓ STORAGE ROOM 43	<input checked="" type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C		9.5	9.5	9.5	09:42	18:13	2,004.5		
CR242197	ART BUILDING OFFICE (JENNIFER SHAW) 109	<input checked="" type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C		9.5	9.5	9.5	13:08	16:31	1,738.5		
CR238423	↓ ROOM 109B	<input checked="" type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C		9.5	9.5	9.5	13:35	18:36	1,719.5		

Relinquished by: <i>Esteeve Thurairajah</i>	Date & Time: 3/27/18	Received by: <i>[Signature]</i>	Date & Time: Condition Acceptable <input type="checkbox"/> Yes <input type="checkbox"/> No
Relinquished by:	Date & Time:	Received by: <i>[Signature]</i>	Date & Time: Condition Acceptable <input type="checkbox"/> Yes <input type="checkbox"/> No



* B - Background R - Removal C - Clearance

AIR SAMPLE REQUEST FORM

Client: SAC02 FACS Sacramento Sonoma State University	Sampled by: Esteeve Thurairajah PM: David Justin Brinkerhoff Date: 3/27/2018
Contact: David Justin Brinkerhoff Phone: (916) 726-1303	Special Instructions: E-mail results to: dbrinkerhoff@forensicanalytical.com, ethurairajah@forensicanalytical.com, sac@forensicanalytical.com
Site: Sonoma State University - 1801 E. Cotati Avenue, Rohnert Park, CA	Turnaround Time: < 12hr <input type="checkbox"/> Same-D <input type="checkbox"/> 1-Day <input type="checkbox"/> 2-Day <input type="checkbox"/> 3-Day <input type="checkbox"/> 5-Day <input checked="" type="checkbox"/> Other <input type="checkbox"/> Due Date and Time:
Client No.: C17451 FACS Job #: PJ29642	Analysis: <input type="checkbox"/> PCM / TEM: <input checked="" type="checkbox"/> AHERA / <input type="checkbox"/> Yamate II / <input type="checkbox"/> NIOSH 7402 / <input type="checkbox"/> CARB-AHERA <input type="checkbox"/> Metals: Pb <input type="checkbox"/> Other: Hold Blanks
Calibration: <input checked="" type="checkbox"/> Rotometer / <input type="checkbox"/> Bubble Burette / <input type="checkbox"/> Dry Cell No:	Code F: Analyzed by: Date: Scope No.:

Sample No.	Sample Location	Type	Pump ID	LPM			Time On	Time Off	Total Volume	Fiber / Field	Fiber / CC
				Start	End	Average					
	Blank										
	Blank										
CR242238	ART BUILDING, OFFICE 110	<input checked="" type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C		9.0	9.0	9.0	13:40	16:39	1,611		
CR242213	↓ OFFICE 123 (AIMEE GRAHAM)	<input checked="" type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C		9.0	9.0	9.0	13:45	16:41	1,584		
CR242231	↓ ROOM 141	<input checked="" type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C		9.0	9.0	9.0	13:53	16:45	1,548		
CR242265	↓ WORKSHOP 145	<input checked="" type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C		9.5	9.5	9.5	13:58	16:49	1,624.5		
		<input type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C									
		<input type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C									
		<input type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C									
		<input type="checkbox"/> B <input type="checkbox"/> R <input type="checkbox"/> C									

Relinquished by: Esteeve Thurairajah <i>[Signature]</i>	Date & Time: 3/27/18	Received by: <i>[Signature]</i>	Date & Time:
Relinquished by:	Date & Time:	Received by:	Date & Time:



* B - Background R - Removal C - Clearance